RIDE-ON FLOOR SCRAPERS



FEATURES & BENEFITS



Bartell Global is proud to offer the original industry-leading Terminator Ride-On

Floor Scraper and is committed to constantly innovating and improving the designs to provide the very best performance, durability and versatility.

COMMON TERMINATOR® DESIGN FEATURES

- Quick Change Swivel Tool Holder
- Precision Hydraulic controls allows for effective work in small spaces (zero turn radius)
- Fully Enclosed solid steel design protects major components.
- Integrated large fork lift channels
- Comes standard with an Hour meter and Battery level indicator
- Comfortable seat with armrests
- Large Footrest platform for operator comfort and additional protection from debris
- Fits through standard door opening
- Adjustable wheel scraper blades for improved traction and reduced maintenance
- Non-marking Tires
- Hinged Hood and removable side/rear panels for ease of maintenance
- Optional Additional Weight Packages
- Up to 26" Working Width



TECHNICAL SPECS*		T3000 XME	INFINITY	T3000 EI	T2500 PRO	T5500 PRO	
Battery		48V-230AH	48VDC-415AH	48VDC-415AH	12V	12V	
Power		10 hp	5.5 hp	10 hp	25 hp - Kohler	55 hp - Kubota	
Working Width*		Up to 26" (66 cm)					
Max Speed*		250ft/min	150 ft/min	200 ft/min	300 ft/min	375 ft/min	
Length		55" (140 cm)	61" (155 cm)	64" (163 cm)	54" (137 cm)	66" (168 cm)	
Width		27.8" (71 cm)	26.5" (67 cm)	26.5" (67 cm)	26.5" (67 cm)	27.5" (70 cm)	
Height		47" (119 cm)	47" (119 cm)	47" (119 cm)	58.5" (149 cm)	60.5" (154 cm)	
Weight		1,875 lb (852 kg)	2,455 lb (1114 kg)	2,800 lb (1270 kg)	2012 lb (913 kg)	2,943 lb (1337 kg)	
Removable Weight		150 lb (68 kg)	_	330 lb (150 kg)	315 lb (143 kg)	870 lb (395 kg)	
Machine Only		1,725 lb (782 kg)	2,455 lb (1114 kg)	2,470 lb (1120 kg)	1697 lb (770 kg)	2,073 lb (942 kg)	
Optional Weight ¹	Front	_	90 lb (41 kg)	60 lb (27 kg)	90 lb (41 kg)	-	
	Rear	_	150 lb (68 kg) 300 lb (136 kg)	150 lb (68 kg)	150 lb (68 kg)	-	
	Side	_	_	800 lb (362 kg)	-	800 lb (362 kg)	

^{1.} Extra Weight Packages must be purchased separately.

^{*}MAXIMUM. Production rates, working width, travel speed may vary depending on job conditions

COMPLETE LINE





TERMINATOR T3000XME

- · Compact design is effective in small spaces
- Quick change battery packs easily slide in and out of the machine
- · Built in USB Charging port
- · AGM Maintenance free battery packs
- Optional Tow behind cart to hold extra battery packs and accessories
- · LED Headlight for improved visibility
- · Zero Emissions safe for indoor use



TERMINATOR INFINITY

- · All-day battery life (8-12 hrs run time)
- 110V Dual On-Board Charging system 30% faster charge time (optional 220V available)
- Quick Change Angle Adjustment Jaw for improved Performance and weight distribution
- Automatic Seat safety switch to turn machine off when the operator is vacant
- · AGM Maintenance free battery pack
- Zero Emissions safe for indoor use Visible Charging Indicator



TERMINATOR T3000 EI

- Variable Speed foot throttle to allow for increased operator control
- · Sleek low profile gaining more stability and better weight distribution
- Extremely high removal rates for nearly all floor removal applications
- · Industry leading 10HP electric motor
- · LED Headlight for improved visibility
- \cdot Built in USB Charging Port
- Optional AGM (Absorbed Glass Mat)
 Maintenance free battery pack
- · Zero Emissions safe for indoor use
- Quick Change Angle Adjustment Jaw for improved Performance and weight distribution



TERMINATOR T2500 PRO

- · Propane powered
- · Designed for easy maintenance
- \cdot Works effectively in small spaces
- · Smooth variable-speed joystick control
- · Quick-change swivel tool holder
- · Multiple tooling options for removal of all types of flooring
- \cdot Adjustable wheel scraper blades
- Non-marking tires
- · Made in the USA
- · LED headlight for improved visibility



TERMINATOR T5500 PRO

- \cdot Extremely High Removal Rates
- \cdot 55hp 1.6L Kubota LPG Engine
- \cdot Ergonomic Handle Controls for all operations
- · Head light for improved visibility
- · Meets Tier 2 CARB & EPA emissions standards
- "Cool Flow" Hydraulics for consistent performance
- \cdot Up to 1,745 ft. lbs of wheel torque
- \cdot Hinged Hood and door panels for easy access
- Quick Change Angle Adjustment Jaw for improved Performance and weight distribution

PRODUCTION RATES*	T3000 XME	INFINITY	T3000 EI	T2500 PRO	T5500 PRO
Carpet	2500 ft²/hr	3000 ft²/hr	4000 ft²/hr		5000 ft²/hr
VCT/VAT	3000 ft²/hr				
Sheet Vinyl	2000 ft²/hr				
Glued Hardwood	1400 ft²/hr	1800 ft²/hr	2000 ft²/hr		2000 ft²/hr
Elastomeric	1800 ft²/hr		2400 ft²/hr		2400 ft²/hr
Ceramic Tile	_		1900 ft²/hr		1900 ft²/hr

CONTRACTOR PROVEN EQUIPMENT

SINCE 1946



RIDE-ON TROWELS



TROWELS



PLATE COMPACTORS



RAMMERS



POWER BUGGIES



TRUSS SCREED



UNISCREED



DRILLS & STANDS



SAWS



VIBRATORS



MIXERS



SPREADERS



SPRAYERS



GENERATORS



WALK-BEHIND FLOOR SCRAPERS



RIDE-ON FLOOR SCRAPERS



SCARIFIERS



FLOOR PLANERS



GRINDERS & POLISHERS



COLLECTORS



SHOTBLASTERS



VERTICAL SHOTBLASTERS



DIAMOND TOOLING



DIAMOND BLADES



5 BRANDS - 1 SOURCE FOR GREAT EQUIPMENT
BARTELL MORRISON INDEED INNOVATED CONTECT