# HEPA DUST COLLECTORS





BartellGlobal.com

### COMPLETE LINE



**HEPA DUST EXTRACTORS** 







- Two-stage filtering system comprised of one main conical filter, plus (1, 2, or 3) HEPA filters.
- Reverse-air jet-pulse filter cleaning system effectively cleans and removes dust build-up on the filters.
- Easy to use "Inlet closure door" eliminates the need to remove hoses when pulsing and cleaning filters.
- Easily connects to hand-operated power tools to extract concrete dust while cutting and grinding.
- Equipped with a "Continuous Bag" disposal system for effective dust collecting and safe & easy disposal of concrete dust.

TECHNICAL SPECS	HDI	HD2	HD3
Includes	one motor, one HEPA filter	two motors, two HEPA filters, two individual switches	three motors, three HEPA filters, three individual switches
Volts	120	120	230
Amps	8	16	12
Inlet	2" (5cm)		
Power	1.6hp	2.4hp	4.8hp
Air Flow	120 f³/m	240 f³/m	356 f <sup>3</sup> /m
Water lift	100"	100"	90"
<b>Pre-filter</b> (F8) >99.5% @1.0um	16 ft² (1.5m²)	34 ft² (3m²)	48 ft² (4.5m²)
<b>HEPA Filter</b> (H13) >99.99% @0.3um	13 ft² (1.2m²)	26 ft² (2.4m²)	39 ft² (3.6m²)
Length	24.7" (63cm)		30" (76cm)
Width	16.5" (42cm)	22" (56cm)	22" (58cm)
Height	40.2" (102cm)	48" (122cm)	56" (142cm)
Weight	88 lbs (40kg)	119 lbs (54kg)	149 lbs (68kg)

#### **FEATURES & BENEFITS**



### **PRE-SEPARATOR**

PROVIDING
ADDITIONAL
SEPARATION
TO THE DUST
EXTRACTION
PROCESS

#### **FEATURES**

- The PS3 is a pre-separator that captures up to 95% of dust before it reaches the dust extractor.
- Significantly improves filter performance and reduces frequency of filter maintenance on your dust extractor.
- Contributes to a higher airflow and an extended life time of your extractor's filters and motor(s).
- Robust construction, dependable operation and provides virtually a zero-cost in maintenance requirements.
- Equipped with a "Continuous Bag" disposal system for effective dust collecting and safe & easy disposal of concrete dust.

TECHNICAL SPECS	PS3	
Dust Tank	50 litre	
Size of Inlet	2.75" (7cm) inlet with 2" (5cm) adapter	
Length	21" (53cm)	
Width	22" (56cm)	
Height	53" (135cm)	
Weight	77 lbs (35kg)	



## **CONTRACTOR PROVEN EQUIPMENT**

#### **SINCE 1946**



RIDE-ON TROWELS



**TROWELS** 



PLATE COMPACTORS



**RAMMERS** 



POWER BUGGIES



TRUSS SCREED



**UNISCREED** 



DRILLS & STANDS



**SAWS** 



**VIBRATORS** 



**MIXERS** 



**SPREADERS** 



**SPRAYERS** 



**GENERATORS** 



WALK-BEHIND FLOOR SCRAPERS



RIDE-ON FLOOR SCRAPERS



**SCARIFIERS** 



FLOOR PLANERS



**GRINDERS & POLISHERS** 



COLLECTORS



**SHOTBLASTERS** 



VERTICAL SHOTBLASTERS



DIAMOND TOOLING



DIAMOND BLADES



5 BRANDS - 1 SOURCE FOR GREAT EQUIPMENT
BARTELL MORRISON INDUSTRIAL INDOCATED CONTECT CONTECT