TAMPING RAMMERS




FEATURES & BENEFITS



Pack a punch with a smaller footprint

The high-quality construction of these units will stand up to the rigors of your job-site, day-in and day-out. Featuring three different models, each with a heavy shock mount system that effectively reduces vibration making them remarkably comfortable to use.













BT1400

BT1600

TECHNICAL SPECS	ВТ1000Н	BT1400H	ВТ1600Н
Engine	Honda GX100	Honda GX120	
Power Output	2.8hp (2.1kW)	3.5hp (2.6kW)	
RPM	3600		
Fuel Capacity	0.7 gallon (2.65L)		
Starting System	Recoil		
Jumping Stroke	2.75" (70mm)		
Compaction Force	22051bf / 9.5kN (1000kgf)		
Length	27" (680mm)	28" (720mm)	
Width	14" (350mm)	16" (415mm)	
Height	41" (1030mm)	41" (1045mm)	
Weight	142lbs (64kg)	164lbs (74kg)	168lbs (76kg)
Plate Size	10" x 10" (250mm x 250mm)	11" x 12" (280mm x 300mm)	

All Bartell Rammers come with a specialized dolly for effortless mobility.



CONTRACTOR PROVEN EQUIPMENT

SINCE 1946



RIDE-ON TROWELS



TROWELS



PLATE COMPACTORS



RAMMERS



POWER BUGGIES



TRUSS SCREED



UNISCREED



DRILLS & STANDS



SAWS



VIBRATORS



MIXERS



SPREADERS



SPRAYERS



GENERATORS



WALK-BEHIND FLOOR SCRAPERS



RIDE-ON FLOOR SCRAPERS



SCARIFIERS



FLOOR PLANERS



GRINDERS & POLISHERS



COLLECTORS



SHOTBLASTERS



VERTICAL SHOTBLASTERS



DIAMOND TOOLING



DIAMOND BLADES

