REVERSIBLE COMPACTORS



FEATURES & BENEFITS



Rugged design, built to last: The compactor you can rely on to get the job done.

A proven series that excels in landscaping applications and are easy to transport. These units are perfect for any general compaction job requiring up to 12,000 lbs of compaction force. The fully hydraulic reversing mechanism sets them apart from the competition, providing flexible maneuverability for forward, backward, and spot-on compaction.



COMPLETE LINE









TECHNICAL SPECS	BR1570	BR2750	BR3570
Engine	Honda GX160	Honda GX200	Honda GX270
Power Output	4.8hp (3.6kW)	5.5hp (4.1kW)	8.5hp (6.3kW)
Compaction Force	3461 lbf, 15 kN, 1570 kgf	6063 lbf, 27 kN, 2750 kgf	7871 lbf, 35 kN, 3570 kgf
Max Travel Speed	65'/min (20m/min)		52'/min (16m/min)
Length	35" (880mm)	45" (1143mm)	53" (1340mm)
Width	14" (350mm)	17" (432mm)	18" (450mm)
Height	35" (880mm)	36" (914mm)	38" (960mm)
Weight	177lbs (80kg)	353lbs (160kg)	529lbs (240kg)
Plate Size	14" x 19" (350 x 480mm)	17" x 28" (430mm x 700mm)	18" x 28" (450mm x 700mm)







TECHNICAL SPECS	BR4600	BR4600	BR5100
Engine	Honda GX390	Yanmar L100W	
Power Output	11.7hp (8.7kW)	9.3hp (6.9kW)	
Compaction Force	10141 lbf, 45kN, 4600 kgf		
Max Travel Speed	72'/min (22m/min)		
Length	62" (1570mm)		65" (1610mm)
Width	19" (485mm)		20" (500mm)
Height	37" (930mm)		
Weight	772lbs (350kg)	820lbs (372kg)	1036lbs (470kg)
Plate Size	19" x 34" (485mm x 860mm)		20" x 36"(500mm x 900mm)

CONTRACTOR PROVEN EQUIPMENT

SINCE 1946



RIDE-ON TROWELS



TROWELS



PLATE COMPACTORS



RAMMERS



POWER BUGGIES



TRUSS SCREED



UNISCREED



DRILLS & STANDS



SAWS



VIBRATORS



MIXERS



SPREADERS



SPRAYERS



GENERATORS



WALK-BEHIND FLOOR SCRAPERS



RIDE-ON FLOOR SCRAPERS



SCARIFIERS



FLOOR PLANERS



GRINDERS & POLISHERS



COLLECTORS



SHOTBLASTERS



VERTICAL SHOTBLASTERS



DIAMOND TOOLING



DIAMOND BLADES

